Špecifikácie







Eaton 135181

Eaton CR Installation contactor, 20A, 230V AC/DC, 2NO

General specifications	
PRODUCT NAME	Eaton CR contactor
CATALOG NUMBER	135181
MODEL CODE	CR2020230
EAN	8711426742734
PRODUCT LENGTH/DEPTH	75 mm
PRODUCT HEIGHT	80 mm
PRODUCT WIDTH	18 mm
PRODUCT WEIGHT	0.136 kg
COMPLIANCES	RoHS conform
MODEL CODE	CR2020230

Powering Business Worldwide

Produktové špecifikácie

AMPERAGE RATING	20 A
FEATURES	Additional equipment possible Hum-free
DEGREE OF PROTECTION	IP20
INCANDESCENT LAMP LOAD - MAX	1950 W
LOAD FLUORESCENT LAMP - MAX	910 VA
LOAD FLUORESCENT LAMP (DUO CIRCUIT) - MAX	1160 VA
LOAD FLUORESCENT LAMP (PARALLEL COMPENSATED) - MAX	232 VA
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	2
NUMBER OF MODULAR SPACINGS	1
RATED OPERATING VOLTAGE (UE) - MAX	400 V
RATED OPERATING VOLTAGE (UE) - MIN	400 V
UTILITY CATEGORY	1
VOLTAGE RATING (EXCITATION) - MAX	253 V
VOLTAGE RATING (EXCITATION) - MIN	195.5 V
BUILT-IN DEPTH	60 mm
VOLTAGE TYPE	AC/DC
UTILIZATION CATEGORY (ACCORDING TO EN IEC 60947-4-1)	AC-1

Zdroje

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DÁTUM:	

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Írsko
Eaton.com

© 2025 Eaton. Všetky práva vyhradené.

Follow us on social media to get the latest product and support information.